



# AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	Laurel Electronics, Inc.	<b>Manufacturer:</b>	Laurel Electronics, Inc.
<b>Address:</b>	3183-G Airway Avenue Costa Mesa, CA 92626	<b>Address:</b>	3183-G Airway Avenue Costa Mesa, CA 92626
<b>Country:</b>	USA	<b>Country:</b>	USA
<b>Contact:</b>	Mr. Barret Weekes	<b>Contact:</b>	Mr. Barret Weekes
<b>Phone:</b>	(714) 434-6131	<b>Phone:</b>	(714) 434-6131
<b>FAX:</b>	(714) 434-3766	<b>FAX:</b>	(714) 434-3766
<b>Email:</b>	BW@Laurels.com	<b>Email:</b>	BW@Laurels.com

**Party Authorized To Apply Mark:** Same as Applicant  
**Report Issuing Office:** Lake Forest, CA

**Control Number:** 4006497      **Authorized by:** *Steven Cordie*  
 for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
165 Main Street, Cortland, NY 13045  
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

**Standard(s):** UL 61010-1, Issued:2004/07/12 Ed:2 Rev:2008/10/28 UL Standard for Safety Electrical Equipment For Measurement, Control, and Laboratory Use; Part 1: General Requirements  
CSA C22.2#61010-1 Issued:2004/07/12 Ed:2 (R2009) Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use Part 1: General Requirements, with general instruction No. 1: 2008/10/28 - (R2009)

**Product:** 1) Panel mounted digital panel meters, counters, timers, remote displays.  
2) DIN-rail mounted signal transmitters.

**Brand Name:** 1) Laureate™, Applicable to digital panel meters, counters, timers, remote displays.  
2) LTA, LTM, LT, LTS, QLS. Series designations applicable to DIN-rail mounted signal transmitters.

**Models:**

- 1) L1X<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>4</sub>X<sub>5</sub>X<sub>6</sub> thru L8X<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>4</sub>X<sub>5</sub>X<sub>6</sub> for Laureate digital panel meters with an analog or serial digital signal input.
  - 2) LWX<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>4</sub>X<sub>5</sub>X<sub>6</sub> for Laureate digital weight meters.
  - 3) LTA X<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>4</sub>X<sub>6</sub> or LTM X<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>4</sub>X<sub>5</sub>X<sub>6</sub> for Laureate transmitters with an analog or serial digital data output.
  - 4) LTX<sub>1</sub>X<sub>2</sub>X<sub>3</sub>X<sub>6</sub> for Laureate transmitters with an analog or pulse input and an analog or serial digital data output.
  - 5) LTS6X<sub>1</sub>X<sub>2</sub>X<sub>6</sub> for Laureate serial digital input, analog output transmitter.
  - 6) QLS-1 and QLS-2 for quadruple output loop splitter transmitter.
- In the above model numbers, X1 typically indicates power, X2 indicates control relays, X3 indicates analog outputs, X4 indicates digital interfaces and X5 indicates the input signal type. X6 may be suffix WM1TED.